

DAFTAR PUSTAKA

- Ambohamsah, I., Nur, H., & Fauziah, D. (2024). Efektivitas Terapi Relaksasi Nafas Dalam untuk Menurunkan Nyeri Akut pada Pasien Fraktur di RSUD Hajjah Andi Depu. *Mando Care Jurnal*, 3(1), 1–6. <https://doi.org/10.55110/mcj.v3i1.140>
- Arendt-Nielsen, L., & Svensson, P. (2001). Referred Muscle Pain: Basic and Clinical Findings. *The Clinical Journal of Pain*, 17(1), 11–19. <https://doi.org/10.1097/00002508-200103000-00003>
- Basbaum, A. I., Bautista, D. M., Scherrer, G., & Julius, D. (2009). Cellular and Molecular Mechanisms of Pain. *Cell*, 139(2), 267–284. <https://doi.org/10.1016/j.cell.2009.09.028>
- Berntson, G. G., Cacioppo, J. T., & Quigley, K. S. (1993). Respiratory sinus arrhythmia: Autonomic origins, physiological mechanisms, and psychophysiological implications. *Psychophysiology*, 30(2), 183–196. <https://doi.org/10.1111/j.1469-8986.1993.tb01731.x>
- Bogduk, N. (2009). On the definitions and physiology of back pain, referred pain, and radicular pain. *Pain*, 147(1), 17–19. <https://doi.org/10.1016/j.pain.2009.08.020>
- Botha, C., Farmer, A. D., Nilsson, M., Brock, C., Gavrilu, A. D., Drewes, A. M., Knowles, C. H., & Aziz, Q. (2015). Preliminary report: modulation of parasympathetic nervous system tone influences oesophageal pain hypersensitivity. *Gut*, 64, 611–617.
- Brysbaert, M. (2019). How Many Participants Do We Have to Include in Properly Powered Experiments? A Tutorial of Power Analysis with Reference Tables. *Journal of Cognition*, 2(1). <https://doi.org/10.5334/joc.72>
- Busch, V., Zeman, F., Heckel, A., Menne, F., Ellrich, J., & Eichhammer, P. (2013). The effect of transcutaneous vagus nerve stimulation on pain perception – An experimental study. *Brain Stimulation*, 6(2), 202–209. <https://doi.org/10.1016/j.brs.2012.04.006>
- Butt, U., Iqbal, J., Shah, I. A., Khan, Z. A., Vuletic, F., & Mohsin, A. (2023). A comparison of continuous cold flow and compression device and traditional icing regimen and no icing following anterior cruciate ligament reconstruction: a pilot study. *Journal of the Pakistan Medical Association*, 74(1), 114–117. <https://doi.org/10.47391/JPMMA.7664>
- Büyükyılmaz, F., & Aştı, T. (2013). The Effect of Relaxation Techniques and Back Massage on Pain and Anxiety in Turkish Total Hip or Knee Arthroplasty Patients. *Pain Management Nursing*, 14(3), 143–154. <https://doi.org/10.1016/j.pmn.2010.11.001>
- Campbell, J. N., & Meyer, R. A. (2006). Mechanisms of Neuropathic Pain. *Neuron*, 52(1), 77–92. <https://doi.org/10.1016/j.neuron.2006.09.021>

- Cherkin, D. C., Sherman, K. J., Balderson, B. H., Cook, A. J., Anderson, M. L., Hawkes, R. J., Hansen, K. E., & Turner, J. A. (2016). Effect of Mindfulness-Based Stress Reduction vs Cognitive Behavioral Therapy or Usual Care on Back Pain and Functional Limitations in Adults With Chronic Low Back Pain. *JAMA*, 315(12), 1240. <https://doi.org/10.1001/jama.2016.2323>
- Court-Brown, C. M., & Caesar, B. (2006). Epidemiology of adult fractures: A review. *Injury*, 37(8), 691–697. <https://doi.org/10.1016/j.injury.2006.04.130>
- Eckberg, D. L. (2009). Point:Counterpoint: Respiratory sinus arrhythmia is due to a central mechanism vs. respiratory sinus arrhythmia is due to the baroreflex mechanism. *Journal of Applied Physiology*, 106(5), 1740–1742. <https://doi.org/10.1152/japplphysiol.91107.2008>
- Foreman, R. D., Garrett, K. M., & Blair, R. W. (2015). Mechanisms of Cardiac Pain. In *Comprehensive Physiology* (pp. 929–960). Wiley. <https://doi.org/10.1002/cphy.c140032>
- Frøkjær, J. B., Bergmann, S., Brock, C., Madzak, A., Farmer, A. D., Ellrich, J., & Drewes, A. M. (2016). Modulation of vagal tone enhances gastroduodenal motility and reduces somatic pain sensitivity. *Neurogastroenterology & Motility*, 28(4), 592–598. <https://doi.org/10.1111/nmo.12760>
- Gebhart, G. F., & Bielefeldt, K. (2016). Physiology of Visceral Pain. In *Comprehensive Physiology* (pp. 1609–1633). Wiley. <https://doi.org/10.1002/cphy.c150049>
- Gede, D., Putra Adiatmika, A., Aulia, H., & Maghfiroh, I. (2025). Manajemen Nyeri Pasca Operasi Orif Femur dengan Epidural Anestesi. *Vitamin: Jurnal Ilmu Kesehatan Umum*, 3(3). <https://doi.org/10.61132/vitamin.v3i3.1514>
- Giusti, E. M., Manna, C., Varallo, G., Cattivelli, R., Manzoni, G. M., Gabrielli, S., D'Amario, F., Lacerenza, M., & Castelnovo, G. (2020). The Predictive Role of Executive Functions and Psychological Factors on Chronic Pain after Orthopaedic Surgery: A Longitudinal Cohort Study. *Brain Sciences*, 10(10), 685. <https://doi.org/10.3390/brainsci10100685>
- Gustilo, R., & Anderson, J. (1976). Prevention of infection in the treatment of one thousand and twenty-five open fractures of long bones: retrospective and prospective analyses. *J Bone Joint Surg Am*, 58(4), 453–458.
- Haack, M., Simpson, N., Sethna, N., Kaur, S., & Mullington, J. (2020). Sleep deficiency and chronic pain: potential underlying mechanisms and clinical implications. *Neuropsychopharmacology*, 45(1), 205–216. <https://doi.org/10.1038/s41386-019-0439-z>
- Hasegawa, M., Tone, S., Naito, Y., & Sudo, A. (2022). Preoperative pain catastrophizing affects pain outcome after total knee arthroplasty. *Journal of Orthopaedic Science*, 27(5), 1096–1099. <https://doi.org/10.1016/j.jos.2021.05.011>

- Hu, L., Hua, Y., Wang, L., Mao, Z., Jia, X., Lei, Z., Chang, D., & Cheng, W. (2025). Effect of Short-term Deep Breathing Exercises on Perioperative Anxiety and Pain in Pediatric Orthopedic Patients: A Randomized Controlled Trial. *Journal of PeriAnesthesia Nursing*, 40(1), 69–75. <https://doi.org/10.1016/j.jopan.2024.03.009>
- Jafari, H., Gholamrezaei, A., Franssen, M., Van Oudenhove, L., Aziz, Q., Van den Bergh, O., Vlaeyen, J. W. S., & Van Diest, I. (2020). Can Slow Deep Breathing Reduce Pain? An Experimental Study Exploring Mechanisms. *The Journal of Pain*, 21(9–10), 1018–1030. <https://doi.org/10.1016/j.jpain.2019.12.010>
- Jarrah, M. I., Hweidi, I. M., Al-Dolat, S. A., Alhawatmeh, H. N., Al-Obeisat, S. M., Hweidi, L. I., Hweidi, A. I., & Alkouri, O. A. (2022). The effect of slow deep breathing relaxation exercise on pain levels during and post chest tube removal after coronary artery bypass graft surgery. *International Journal of Nursing Sciences*, 9(2), 155–161. <https://doi.org/10.1016/j.ijnss.2022.03.001>
- JE, J., Zhuang, M., Feng, G., Liu, Y., & Chen, W. (2019). Nursing effect of modified cold therapy instrument on postoperative swelling and pain in patients with tibiofibular fracture. *Chinese Journal of Practical Nursing*, 36, 1147–1150.
- Jerliawanti Tuna, & Pipin Yunus. (2023). Penurunan Intensitas Nyeri Pada Pasien Fraktur Tertutup Dengan Pemberian Terapi Kompres Dingin Di Ruang IGD RSUD Prof. Dr. H. ALOEI SABOE. *Jurnal Ilmiah Kedokteran Dan Kesehatan*, 3(1), 37–59. <https://doi.org/10.55606/klinik.v3i1.2237>
- Karemaker, J. M. (2009). Counterpoint: Respiratory sinus arrhythmia is due to the baroreflex mechanism. *Journal of Applied Physiology*, 106(5), 1742–1743. <https://doi.org/10.1152/japplphysiol.91107.2008a>
- Khasanah, N., Wirotomo, T. S., & Rofiqoh, S. (2021). Literatur Review: Efektifitas Kompres Dingin terhadap Penurunan Intensitas Nyeri Pada Pasien Fraktur Tertutup. *Prosiding Seminar Nasional Kesehatan*, 1, 608–615. <https://doi.org/10.48144/prosiding.v1i.723>
- Kim, B. R., Yoon, S.-H., & Lee, H.-J. (2023). Practical strategies for the prevention and management of chronic postsurgical pain. *The Korean Journal of Pain*, 36(2), 149–162. <https://doi.org/10.3344/kjp.23080>
- Kristanto, A., & Arofiati, F. (2016a). Efektifitas Penggunaan Cold Pack dibandingkan Relaksasi Nafas Dalam untuk Mengatasi Nyeri Pasca Open Reduction Internal Fixation (ORIF). *Indonesian Journal of Nursing Practices*, 1(1). <https://doi.org/10.18196/ijnp.1154>
- Kristanto, A., & Arofiati, F. (2016b). Efektifitas Penggunaan Cold Pack dibandingkan Relaksasi Nafas Dalam untuk Mengatasi Nyeri Pasca Open Reduction Internal Fixation (ORIF). *Indonesian Journal of Nursing Practices*, 1(1). <https://doi.org/10.18196/ijnp.1154>

- Kusyani, A., Aziz, A. N., & Vidhiastutik, Y. (2024). Pengaruh Teknik Relaksasi Pernafasan Terhadap Penurunan Nyeri Pada Pasien Pasca Operasi Fraktur. *Well Being*, 9(1), 41–47. <https://doi.org/10.51898/wb.v9i1.238>
- Larsen, D. B., Laursen, M., Edwards, R. R., Simonsen, O., Arendt-Nielsen, L., & Petersen, K. K. (2021). The Combination of Preoperative Pain, Conditioned Pain Modulation, and Pain Catastrophizing Predicts Postoperative Pain 12 Months After Total Knee Arthroplasty. *Pain Medicine*, 22(7), 1583–1590. <https://doi.org/10.1093/pm/pnaa402>
- Lestari, S., Faridasari, I., Hikmat, R., Kurniasih, U., & Rohmah, A. (2022). Pengaruh Teknik Relaksasi Nafas Dalam Terhadap Skala Nyeri. *Jurnal Kesehatan*, 13(1), 1–6. <https://doi.org/10.38165/jk.v13i1.254>
- Li, J., Guan, T., Zhai, Y., & Zhang, Y. (2024). Risk factors of chronic postoperative pain after total knee arthroplasty: a systematic review. *Journal of Orthopaedic Surgery and Research*, 19(1), 320. <https://doi.org/10.1186/s13018-024-04778-w>
- Loeser, J. D., & Melzack, R. (1999). Pain: an overview. *The Lancet*, 353(9164), 1607–1609. [https://doi.org/10.1016/S0140-6736\(99\)01311-2](https://doi.org/10.1016/S0140-6736(99)01311-2)
- Lubis, C. A., Tanjung, D. D., & Asrizal, A. A. (2021). The Effect of Cold Compress on Pain Intensity in Fractured Patients at RSUP H. Adam Malik Medan. *Jurnal Keperawatan Soedirman*, 16(2). <https://doi.org/10.20884/1.jks.2021.16.2.1692>
- Mahyuvi, T., & Marta, D. K. (2023). Reducing Pain in Postoperative Femoral Fracture Patients with Spiritual-Based Relaxation Breathing. *Journal of Applied Nursing and Health*, 5(1), 90–96. <https://doi.org/10.55018/janh.v5i1.120>
- Metcalf, K. B., Smith, E. J., Wetzell, R. J., Sontich, J. K., & Ochenjele, G. (2020). Comparison of Clinical Outcomes After Intramedullary Fixation of Tibia Fractures Caused by Blunt Trauma and Civilian Gunshot Wounds: A Retrospective Review. *Journal of Orthopaedic Trauma*, 34(6), e208–e213. <https://doi.org/10.1097/BOT.0000000000001709>
- Mi, X., Zou, B., Rashidi, P., Baharloo, R., Fillingim, R. B., Wallace, M. R., Crispen, P. L., Parvataneni, H. K., Prieto, H. A., Gray, C. F., Machuca, T. N., Hughes, S. J., Murad, G. J. A., Thomas, E., Iqbal, A., & Tighe, P. J. (2021). Effects of Patient and Surgery Characteristics on Persistent Postoperative Pain. *The Clinical Journal of Pain*, 37(11), 803–811. <https://doi.org/10.1097/AJP.0000000000000979>
- Miettinen, T., Mäntyselkä, P., Hagelberg, N., Mustola, S., Kalso, E., & Lötsch, J. (2021). Machine learning suggests sleep as a core factor in chronic pain. *Pain*, 162(1), 109–123. <https://doi.org/10.1097/j.pain.0000000000002002>

- Moore, K. L., Dalley, A. F., & Agur, A. M. R. (2013). *Clinically Oriented Anatomy*. Wolters Kluwer/Lippincott Williams & Wilkins Health. <https://books.google.co.id/books?id=-Le5bc5F0sYC>
- Mujahidin, Palasa, R., & Utami, S. R. (2018). Pengaruh Kombinasi Kompres Dingin Dan Relaksasi Nafas Dalam Terhadap Penurunan Intensitas Nyeri Fraktur. *Jurnal Ilmiah Multi Science Kesehatan*, 8.
- Novak, V., Novak, P., de Champlain, J., Le Blanc, A. R., Martin, R., & Nadeau, R. (1993). Influence of respiration on heart rate and blood pressure fluctuations. *Journal of Applied Physiology*, 74(2), 617–626. <https://doi.org/10.1152/jappl.1993.74.2.617>
- Nurlela, T. E., Mediani, H. S., & Rahayu, U. (2023a). Terapi Kompres Dingin Untuk Menurunkan Skala Nyeri Akut Pasien Fraktur : Systematic Review. *Nursing News : Jurnal Ilmiah Keperawatan*, 7(1), 49–63. <https://doi.org/10.33366/nn.v7i1.2559>
- Nurlela, T. E., Mediani, H. S., & Rahayu, U. (2023b). Terapi Kompres Dingin Untuk Menurunkan Skala Nyeri Akut Pasien Fraktur : Systematic Review. *Nursing News : Jurnal Ilmiah Keperawatan*, 7(1), 49–63. <https://doi.org/10.33366/nn.v7i1.2559>
- Patil, J. D., Sefen, J. A. N., & Fredericks, S. (2022). Exploring Non-pharmacological Methods for Pre-operative Pain Management. *Frontiers in Surgery*, 9. <https://doi.org/10.3389/fsurg.2022.801742>
- Purnamasari, I., Nasrullah, D., Mundakir, M., Hasanah, U., & Choliq, I. (2023). Efektivitas Teknik Relaksasi Napas Dalam Kombinasi Guided Imagery Dengan Musik Terhadap Skala Nyeri Pada Pasien Post Operasi Fraktur Di Rs. Siti Khodijah Sepanjang. *Jurnal Keperawatan Muhammadiyah*, 71. <https://doi.org/10.30651/jkm.v0i0.17878>
- Qin, C., Chandler, M. J., Miller, K. E., & Foreman, R. D. (2001). Responses and Afferent Pathways of Superficial and Deeper C₁–C₂ Spinal Cells to Intrapericardial Algogenic Chemicals in Rats. *Journal of Neurophysiology*, 85(4), 1522–1532. <https://doi.org/10.1152/jn.2001.85.4.1522>
- Raffaelli, W., & Arnaudo, E. (2017). Pain as a disease: an overview. *Journal of Pain Research, Volume 10*, 2003–2008. <https://doi.org/10.2147/JPR.S138864>
- Rahman, M., Djamaluddin, N., Suleman, I., & Author, C. (2025). Pengaruh Mobilisasi Dini Dan Kompres Hangat Warm Water Zack Terhadap Tingkat Nyeri Post Operasi Di Ruang Urologi RSUD Toto Kabila. *Jurnal Keperawatan*, 8(1). <https://stikesks-kendari.e-journal.id/JK>
- Rustiawati, E., Binteriawati, Y., & Aminah, A. (2022). Efektifitas Teknik Relaksasi Napas dan Imajinasi Terbimbing terhadap Penurunan Nyeri pada Pasien Pasca Operasi di Ruang Bedah. *Faletehan Health Journal*, 9(3), 262–269. <https://doi.org/10.33746/fhj.v10i03.463>

- Sikandar, S., & Dickenson, A. H. (2012). Visceral pain. *Current Opinion in Supportive & Palliative Care*, 6(1), 17–26. <https://doi.org/10.1097/SPC.0b013e32834f6ec9>
- Sin, P. Y. W., Galletly, D. C., & Tzeng, Y. C. (2010). Influence of breathing frequency on the pattern of respiratory sinus arrhythmia and blood pressure: old questions revisited. *American Journal of Physiology-Heart and Circulatory Physiology*, 298(5), H1588–H1599. <https://doi.org/10.1152/ajpheart.00036.2010>
- Sridarmayanti, N. M., Agus, N., & Raya, J. (2023). *Pengaruh Teknik Relaksasi Nafas Dalam Terhadap Penurunan Nyeri Post-Operatif Pada Pasien Fraktur: A Literature Review*. 11(3), 2023.
- Sridarmayanti, N. M., & Raya, N. A. J. (2023). Pengaruh Teknik Relaksasi Nafas Dalam Terhadap Penurunan Nyeri Post-Operatif Pada Pasien Fraktur: A Literature Review. *Coping: Community of Publishing in Nursing*, 11(3), 179. <https://doi.org/10.24843/coping.2023.v11.i03.p08>
- Sunadi, A., Ifadah, E., & Syarif, M. N. O. (2020). The effect of deep breathing relaxation to reduce post operative pain in lower limb fracture. *Enfermería Clínica*, 30, 143–145. <https://doi.org/10.1016/j.enfcli.2019.12.045>
- Tololiu, K. E., Duff, J., & Csokasi, K. (2023). Nonpharmacological interventions for the reduction of post-operative pain after ambulatory surgery: A systematic review of randomised controlled trials. *Journal of Perioperative Nursing*, 36(1). <https://doi.org/10.26550/2209-1092.1210>
- Toska, K., & Eriksen, M. (1993). Respiration-synchronous fluctuations in stroke volume, heart rate and arterial pressure in humans. *The Journal of Physiology*, 472(1), 501–512. <https://doi.org/10.1113/jphysiol.1993.sp019958>
- Usichenko, T., Laqua, R., Leutzow, B., & Lotze, M. (2017). Preliminary findings of cerebral responses on transcutaneous vagal nerve stimulation on experimental heat pain. *Brain Imaging and Behavior*, 11(1), 30–37. <https://doi.org/10.1007/s11682-015-9502-5>
- Venkatachalam, K., & Montell, C. (2007). TRP Channels. *Annual Review of Biochemistry*, 76(1), 387–417. <https://doi.org/10.1146/annurev.biochem.75.103004.142819>
- Wan, X., Ji, L., Zhao, M., Zhu, S., & Tang, M. (2022). Evaluation of Application Effect of Self-Made Compression Cold Therapy in Postoperative Rehabilitation of Patients with Orthopedic Dyskinesia. *Computational and Mathematical Methods in Medicine*, 2022, 1–10. <https://doi.org/10.1155/2022/8222933>
- Wang, X., Xu, H., & Wu, X. (2024). Effectiveness of Targeted Nursing Measures to Relieve Swollen Limb Pain after Extremity Fracture. *Alternative Therapies in Health and Medicine*, 30(8), 65–71.

- Wheeless, C. (2022). *Wheeless' Textbook of Orthopaedics*.
- Wu, A.-M., Bisignano, C., James, S. L., Abady, G. G., Abedi, A., Abu-Gharbieh, E., Alhassan, R. K., Alipour, V., Arabloo, J., Asaad, M., Asmare, W. N., Awedew, A. F., Banach, M., Banerjee, S. K., Bijani, A., Birhanu, T. T. M., Bolla, S. R., Cámara, L. A., Chang, J.-C., ... Vos, T. (2021). Global, regional, and national burden of bone fractures in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. *The Lancet Healthy Longevity*, 2(9), e580–e592. [https://doi.org/10.1016/S2666-7568\(21\)00172-0](https://doi.org/10.1016/S2666-7568(21)00172-0)
- Wu, H., Ding, T., Yan, S., Huang, Z., & Zhang, H. (2022). Risk factors for moderate-to-severe postoperative pain after percutaneous nephrolithotomy: a retrospective cohort study. *Scientific Reports*, 12(1), 8366. <https://doi.org/10.1038/s41598-022-12623-5>
- Yoli, N., Dendy, K., Wardah, W., & Sarina, D. (2024). Penerapan Terapi Kompres Dingin Pada Pasien Post Orif Dengan Masalah Keperawatan Nyeri Akut. *Journal Healthcare*, 2(1).
- Yuliana, Silitonga, Y. A. M., & Wahyuni, A. (2022). Manajemen Nyeri Pasca Operasi : Tinjauan Pustaka. *NUTRIENT*, 2(2), 27–37. <https://doi.org/10.36911/nutrient.v2i2.1352>
- Zaccaro, A., Piarulli, A., Laurino, M., Garbella, E., Menicucci, D., Neri, B., & Gemignani, A. (2018). How Breath-Control Can Change Your Life: A Systematic Review on Psycho-Physiological Correlates of Slow Breathing. *Frontiers in Human Neuroscience*, 12. <https://doi.org/10.3389/fnhum.2018.00353>
- Zeidan, F., Martucci, K. T., Kraft, R. A., Gordon, N. S., McHaffie, J. G., & Coghill, R. C. (2011). Brain Mechanisms Supporting the Modulation of Pain by Mindfulness Meditation. *The Journal of Neuroscience*, 31(14), 5540–5548. <https://doi.org/10.1523/JNEUROSCI.5791-10.2011>
- Zencir, G., & Eser, I. (2016). Effects of Cold Therapy on Pain and Breathing Exercises Among Median Sternotomy Patients. *Pain Management Nursing*, 17(6), 401–410. <https://doi.org/10.1016/j.pmn.2016.05.006>