

ABSTRAK

ANALISIS FAKTOR YANG MEMPENGARUHI WANITA USIA SUBUR (WUS) MELAKUKAN PEMERIKSAAN IVA TEST DI WILAYAH KERJA UPTD PUSKESMAS KUMAI KOTA PANGKALAN BUN

Wardah¹, Eri Puji Kumalasari²

^{1,2}Universitas STRADA Indonesia

wardah01041976@gmail.com

Deteksi dini kanker serviks menggunakan metode IVA (Inspeksi Visual Asam Asetat), karena tekniknya mudah/ sederhana, biaya rendah/murah dan memiliki tingkat sensitivitas tinggi, cepat dan cukup akurat untuk menemukan kelainan pada tahap prakanker. Penelitian ini bertujuan untuk mengetahui faktor yang berpengaruh pada wanita usia subur melakukan pemeriksaan iva test.

Penelitian menggunakan desain penelitian *Analitik Observasional* dengan pendekatan *cross sectional*. Dengan teknik *purposive sampling* didapatkan sampel sebanyak 79 responden, variabel independen pengetahuan, dukungan keluarga, sikap, informasi menggunakan kuesioner dan variabel dependen pemeriksaan iva test dengan observasi. Digunakan uji statistik *Chi Square*.

Hasil penelitian dari 79 responden didapat sebagian besar responden pengetahuan cukup 37 responden (46,8%), sikap positif 42 responden (53,2%), tidak memiliki dukungan keluarga 54 responden (68,4%), memiliki informasi kurang baik 47 responden (59,5%) dan tidak melakukan pemeriksaan iva test 71 responden (89,9%).

Analisis menggunakan uji statistik *Chi Square* menyebutkan tidak ada pengaruh pengetahuan (*p value* 0,139), tidak ada pengaruh sikap (*p value* 0,349), tidak ada pengaruh dukungan keluarga (*p value* 0,219) dan tidak ada pengaruh informasi (*p value* 0,346) terhadap wanita usia subur melakukan pemeriksaan iva test.

Pemeriksaan iva test WUS perlu didalami terkait faktor tenaga kesehatan karena masih minim peran untuk melakukan langkah promotif dan preventif yang mempengaruhi.

Kata kunci : wanita usia subur, iva test, kanker serviks

ABSTRACT

ANALYSIS OF FACTORS INFLUENCING WOMEN OF FERTILE AGE (WUS) IN CONDUCTING IVA TESTS IN THE WORK AREA OF UPTD KUMAI PUBLIC HEALTH CENTER, PANGKALAN BUN CITY

Wardah¹, Eri Puji Kumalasari²

^{1,2}Universitas STRADA Indonesia

wardah01041976@gmail.com

Early detection of cervical cancer using the IVA (Visual Inspection of Acetic Acid) method, because the technique is easy/simple, low cost/cheap and has a high level of sensitivity, fast and accurate enough to find abnormalities in the precancerous stage. This study aims to determine the factors that influence women of childbearing age to undergo an IVA test.

The study used an Observational Analytical research design with a cross-sectional approach. With a purposive sampling technique, a sample of 79 respondents was obtained, the independent variables of knowledge, family support, attitude, information using a questionnaire and the dependent variable of the IVA test examination with observation. The Chi Square statistical test was used.

The results of the study from 79 respondents showed that most respondents had sufficient knowledge 37 respondents (46.8%), positive attitudes 42 respondents (53.2%), did not have family support 54 respondents (68.4%), had poor information 47 respondents (59.5%) and did not undergo an IVA test 71 respondents (89.9%).

Analysis using the Chi Square statistical test states that there is no influence of knowledge (p value 0.139), no influence of attitude (p value 0.349), no influence of family support (p value 0.219) and no influence of information (p value 0.346) on women of childbearing age undergoing iva test examinations.

The WUS iva test examination needs to be explored in relation to health worker factors because there is still a minimal role in carrying out promotive and preventive steps that influence..

Keywords: women of childbearing age, iva test, cervical cancer